

Item	POE Fiber Switch
Model NO.	PS-1400P
Description	1 Port 100Base-FX to 4-PoE 10/100Base-TX



Overview


PS-1400P is 4 Port Poe Fast Ethernet Fiber Switch provide 4 Port PoE (Power over Ethernet) which compliance with IEEE802.3af & IEEE802.3at standard; Let you simply connect IP camera / IP phone / Wireless AP at remote site where AC or DC power un-available

PS-1400P also provide a Fiber Port can transmit data 0~120km from device to control center.

Features

- 10/100Mbps auto-sensed for each UTP port
- Each PoE port support IEEE 802.3af/at
- Support Spanning Tree Protocol
- Built-in efficient switching core to implement flow control and reduce broadcast packets
- Supporting full-duplex and half-duplex and it's auto-sensed, Auto MDI/MDIX
- Support max forwarding packet length 1536 bytes option
- LED indicators for monitoring power link activity and speed
- Low power consumption low heat reliable and stable performance ,and long life time


Application



Technical Indexes

Parameter	Specifications
Access mode	10/100Mbps
Standard	IEEE802.3、IEEE802.3u、IEEE802.3x IEEE802.3af/at
Port	4 PoE Port-RJ45 1-Fiber Port - SC
MAC address table	2K
Buffer space	384k Bits
LED indicator	PWR (power supply); FX (optical link(link/action)) TP1-4: INK/ACT (1/2/3/4/5/6/7/8 port twisted pair link action) TP1-4: twisted pair 100M transmission rate TP1-4 Power Supply
Power Adaptor	Output: DC48V/1.25A
Power consumption	60W
Operating temperature	0~50°C
Operating humidity	5%~90%
Maintaining temperature	-20~70°C
Maintaining humidity	5% ~ 95% non-condensing
Dimensions	145mm*104mm*27mm

Mechanical Dimension



Order Information

Model No.	Wavelength	FX Port	8-TX Port	Fiber model	Distance
PS-1400P-M02	850/1310nm	SC/ST/FC	RJ-45	MM, Dual-fiber	2km
PS-1400P-S20	1310nm FP	SC/ST/FC	RJ-45	SM, Dual -fiber	20km
PS-1400P-S40	1310nm FP	SC/ST/FC	RJ-45	SM, Dual-fiber	40km
PS-1400P-A20	TX1310/RX1550nm FP	SC/ST/FC	RJ-45	SM, Single-fiber	20km
PS-1400P-B20	RX1310/RX1550nm FP	SC/ST/FC	RJ-45	SM, Single-fiber	20km
PS-1400P-A40	TX1310/RX1550nm FP	SC/ST/FC	RJ-45	SM ,Single-fiber	40km
PS-1400P-B40	RX1310/TX1550nm FP	SC/ST/FC	RJ-45	SM ,Single-fiber	40km