





- 1/3" SONY Super HAD II WD CCD(960H)
- Resolution: 700TVL
- Min. illumination 0Lux(IR on)
- IR leds: 24xΦ5, IR distance: 15m
- Lens 3.6mm Angle of View >90°
- D-WDR,BLC, HLC,2DNR, Smart IR
- DC12V



### SPECIFICATION



<b>Model</b>	<b>PS-HB85</b>
<b>Pick-up device</b>	1/3" SONY Super HAD II 960H CCD
<b>Effective Pixels</b>	NTSC:976x494,PAL:976x582
<b>Sync system</b>	Internal
<b>Resolution</b>	700TVL
<b>Min. Illumination</b>	0.00045LUX/F1.2 , 0Lux ( IR on )
<b>S/N</b>	More than 52dB
<b>Electronic Shutter</b>	NTSC:1/60~1/100,000, PAL:1/50~1/100,000
<b>Lens</b>	3.6 mm
<b>Gamma</b>	Auto/Manual
<b>White Balance</b>	Auto
<b>Electronic Iris</b>	Auto
<b>AGC Gain Control</b>	High / Low
<b>BLC</b>	On / Off
<b>Day &amp; Night</b>	AUTO
<b>Video Output</b>	1.0Vp-p Composite Video Output,75ohm
<b>IR distance</b>	15m
<b>LED Life</b>	More than 10,000 hours Constant Current Circuit IR
<b>Power Supply</b>	DC12V ±10%
<b>Power Consumption</b>	Constant Current DC8-18V:100mA, IR ON/300mA
<b>Operating Temp.</b>	-20°C ~ 50°C
<b>Environment resistant</b>	IP65