



#### FEATURE

- กล้องสี CCD (Day / Night vision) พร้อมเลนส์
- ระยะลำแสงอินฟราเรด 25 เมตร
- หลอด IR LED อายุยาวพิเศษ (มากกว่า 10,000 ชั่วโมง)
- Digital Noise Reduction
- CDS IR On/Off Control
- มาตรฐานทนฝุ่นและน้ำ IP66

#### SPECIFICATION

<b>Model</b>	PS-G112 HR Color CCD Camera
<b>Image Device</b>	1/3" SONY CCD sensor
<b>Scanning Frequency</b>	NTSC: 15,734KHz(H), 60Hz(V), PAL: 15,625KHz(H), 50Hz(V)
<b>Scanning System</b>	NTSC: 525 line 2:1 interlace, PAL:625 lines 2:1 interlace
<b>Effective Pixels</b>	NTSC: 512(H) x 492(V), PAL:512(H) x 582(V)
<b>Electronic Shutter</b>	N:1/60- 1/100,000 sec (Auto), PAL:1/50-1/100,000sec (Auto)
<b>Horizontal</b>	600 TV Lines
<b>White-balance</b>	Auto white balance (2500°K~9500°K)
<b>Synchronizing System</b>	Internal
<b>Sensitivity</b>	0 Lux at IR on / F2.0
<b>BLC</b>	Auto
<b>Signal to Noise</b>	More than 48dB AGC off
<b>AGC</b>	Yes
<b>Gamma Correction</b>	0.45
<b>IR Distance</b>	25 Meters (Max.)
<b>IR LED</b>	40 pcs LED
<b>IR Status</b>	Under 10 Lux by CDS auto control
<b>IR View Angle</b>	View angle: 70°, Beam spread: 40°/per LED
<b>IR Wavelength</b>	850nm ± 25nm
<b>LED Life</b>	More than 10,000 hours
<b>Lens</b>	4mm
<b>Power Consumption</b>	IR on: 280mA, IR off: 70mA ± 5mA
<b>Power Supply</b>	12VDC 500mA (not included)
<b>Temperature</b>	Operating: -10 to 50°C
<b>Video Output</b>	Composite 1.0 Vp-p at 75 ohm
<b>Construction</b>	Aluminum
<b>Dimensions</b>	75(Ø) x 110(L) mm