



- 1/3" Sony Super HAD II CCD(960H)
- PAL: 976 (H) x 582 (V)
- NTSC : 976 (H) x 494 (V)
- Resolution: 700TVL
- Illumination: 0.02Lux F1.2, 0Lux (IR on)
- IR LED distance 40-50 M
- Power Supply: DC12V
- IP66

### SPECIFICATION



Model	PS-Z32N
Pick-up device	1/3" SONY Supper HAD II CCD
Effective Pixels	NTSC:976(H)*494(V) PAL:976(H)*582(V)
Sync system	Internal
Resolution	700TVL
Min. Illumination	Color:0.02Lux/F1.2 B/W:0.002Lux/F1.2 (sens-up) , 0Lux ( IR on )
S/N	More than 52dB
Electronic Shutter	Auto/Anti-flicker/Manual NTSC:1/60~1/100,000, PAL:1/50~1/100,000
Fliclerless Mode	On / Off
Lens mount	6-22mm DC M12 Lens
Gamma	0.45/Custom(0.05-1.0)
White Balance	ATW1/ATW2/AWC-SET/ANTI.CRL/MANUAL
2DNR	OFF/ON
AGC Gain Control	High/Mid/Low/Off
BackLight Compensation	HLC/BLC/OFF
Motion Detection	Off/On(4 areas)
Day & Night	Auto/B/W/Color/EXT
Image adjustment	LENS SHAD./MIRROR/FONT COLOR/DISPALY/NEG.IMAGE
Video Output	1.0Vp-p Composite Video Output,75ohm
IR distance	40~50m
Power Supply	DC12V± 10% ( Power range: DC8-18V)
Power Consumption	800mA ( Max )
Operating Temp.	-20C ~ 50C