



SPECIFICATION

Model	GL-114 Spy Color CCD Camera
Image Device	1/3" Sony & Sharp CCD sensor
Scanning Frequency	NTSC: 15,734KHz(H), 60Hz(V) ; PAL: 15,625KHz(H), 50Hz(V)
Scanning System	NTSC: 525 line 2:1 interlace PAL: 625 lines 2:1 interlace
Effective Pixels	NTSC: 512(H) x 492(V); PAL: 512(H) x 582(V)
Electronic Shutter	N: 1/60- 1/100,000 sec (Auto); P: 1/50-1/100,000sec (Auto).
Horizontal	420 TV Lines
White-balance	Auto white balance (2500°K~9500°K)
Synchronizing System	Internal
Sensitivity	0.1 Lux/ F2.0 (1/3")
BLC	Auto
Signal to Noise	More than 48dB AGC off
AGC	YES
Gamma Correction	0.45
Lens	4.3 mm Board Lens (6,8mm Option)
Power Consumption	120mA±5mA
Power Supply	12V DC ± 10%
Temperature	Operating: -10 to 50°C
Video Output	Composite 1.0 Vp-p at 75 ohm
Construction	Aluminum
Dimensions	57(W) x 47(H) X 93(L) mm
Weight	230 g