

HD VIDEO CONVERTER

User Manual

MINI HDMI TO CVBS Converter

Bring High-Definition to your life!

1.0 INTRODUCTION

The MINI HDMI to AV converter, Which will convert HDM video signal or audio

signal to AV (CVBS) composite video signal and the FL / FR stereo audio signals, while support DVI system sideline signals. To help users convert the high quality of the HDMI video signal into normal CVBS signal (standard-definition 480i, 576i,).So that can play on TV, VHS VCR, DVD recorders, etc and support NTSC and PAL two TV format.

2.0 FEATURES

1. No need to install drivers, portable, flexible, plug and play;
2. Low power, No power adaptor;
3. Support NTSC and PAL two standard TV formats output;
4. Compatible HDMI1.3.

3.0 SPECIFICATIONS

1. Input port: 1xHDMI;
2. Output ports: 3xRCA (Yellow, White, Red);
3. Dimensions (mm): 66(D) x55(W) x20(H);
4. Wight (g): 40;
5. HDMI Input Resolution:
640x480@60Hz,800x600@60Hz,
1024x768@60Hz,1280x720@60Hz,
1280x1024@60Hz,1360x768@60Hz,
1600x1200@60Hz,1920x1080@60Hz,
480i/60Hz, 480p/60Hz, 576i/60Hz, 576p/60Hz,
720p50/60Hz,1080I50/60Hz, 1080p50/60Hz.
6. CVBS output: PAL, NTSC_M, and (NTSC_J).

3.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- 1) Main unit (HDMI to AV Converter)-----1PCS
- 2) USB Cable or 5V 1A Power adapter-----1PCS
- 3) User Manual-----1PCS

4.0 PANEL DESCRIPTIONS


Please study the panel drawings below and become familiar with the signal

input(s), output(s) and power requirements.

Front Panel:



Top Panel:



Back Panel:



HDMI-----HDMI signal input
USB POWER-----USB power input
PAL/NTSC-----PAL/NTSC switch
CVBS-----CVBS output
L/R-----Audio output

5.0 CONNECTION DIAGRAM



WARNING

1. Do not expose this apparatus to rain, moisture, dripping or splashing

And that no objects filled with liquids, such as vases, shall be placed on the apparatus

2. Do not install near any heat sources such as radiators, heat registers, Stoves or other apparatus(including amplifiers)that product heat.
3. Do not place sources of naked flames, such as lighted candles, on the unit.
4. Clean this apparatus only with dry cloth.
5. Only use attachments/accessories specified by the manufacturer.
6. Refer all servicing to qualified service personnel.